

VARIANCE / FIELD CHANGE NOTICE (FCN)

V 99-002

WBS NO.: PROJECT/DOCUMENT

98SC000001 WPRAP Sampling and Analysis Plan for Environmental Media, Rev 0

Page 1 of 1

PROJECT TITLE: Waste Pits Remedial Action Project

Date: 10/19/99

VARIANCE / FIELD CHANGE NOTICE (Include justification):

Add the following statement to Table 2.1 "Wastewater, Excavation Water, and Contact Stormwater Sampling Parameters", WTS Process Control Sampling, Analytical Parameter

Current wording: Nickel, Chromium, Copper- by XRF"

Add: "or, alternatively can be analyzed by ICP."

= 2670

Justification

The alternative method is considered to equate to the XRF method for screening accuracy. This process is intended as an interim measure until the XRF Proof of Method is completed.

REQUESTED BY: Doug Draper, IT Corp

DATE: 10/19/99

CHECK IF REQD	VARIANCE/ FCN APPROVAL	DATE	CHECK IF REQD	VARIANCE/ FCN APPROVAL	DATE
X	IT Lab Manager <i>Mark D. Barnett</i>	10-20-99	X	FDF RDQ <i>[Signature]</i>	10/25/99
X	IT QA Manager <i>[Signature]</i>	10-20-99	X	FDF WPRAP Environmental Compliance <i>[Signature]</i>	10-21-99
X	FDF WPRAP Sampling/ Analysis Coordinator <i>Deon A. Smith</i>	10-21-99	X	FDF WPRAP Operations Manager <i>[Signature]</i>	10/21/99
X	FDF WPRAP QA Manager <i>Michael D. Hoge</i>	10-22-99			
VARIANCE/FCN APPROVED [x]YES []NO			REVISION REQUIRED: []YES [x]NO		

Distribution: IT Document Control
IT Project Engineer
IT Lab Manager
IT QA Manager
IT Radiological Manager

FDF Document Control
FDF WPRAP QA Manager
~~FDF ARWWP Operations Manager~~
FDF WPRAP Environmental Compliance
FDF WPRAP Sampling/ Analysis Coordinator
FDF RDQ
FDF WAO
FDF Waste Certification

1